




2014

AUTO TRANSPORT CATALOG



WE CARE ABOUT YOUR SAFETY.

Most accidents, whether they occur at work, at home or on the highway are caused by the failure to follow simple and fundamental safety rules or precautions. For this reason most accidents or injuries can be prevented by recognizing the root cause and doing something about it before the accident occurs. A careful and properly trained operator is the best insurance against an accident or injury.

Most of the products manufactured or distributed by B/A Products Co. are OEM equivalents (often used by the OEM's) or built to specific and recognized industry standards to perform a specific function within the auto transport industry. These products are to be used in the very specific applications for which they were designed. The products offered for sale in this catalog are only to be used in the manner for which they were designed and within the assigned work load limits.

Always follow the instructions of the trailer manufacturer and load supervision. B/A Products Co. assumes those who purchase and use our products are properly trained and familiar with the applications for which an individual product was designed. B/A Products Co. assumes no liability for improperly trained operators or the negligent or improper use, intentional or otherwise, of any of the products we manufacture or distribute. If there is any uncertainty, as to the proper usage, do not proceed. Seek competent professional assistance.

FOR MORE INFORMATION PLEASE VISIT
OUR WEBSITE: **WWW.BAPROD.COM**



TABLE OF CONTENTS

1 VEHICLE SECUREMENT

Trailer Straps	03
Ratchet Straps	04
Boydston Straps	05
E-Track Straps	06
Ratchets & Accessories	07
Axle Straps	08
Strap Storage	09

2 CHAINS, HOOKS & CLUSTERS

1/4" Auto Transport Chain	11
5/16" Auto Transport Chain	12
Hooks & Clusters	13, 14

3 GEAR HEADS & POSITION SAFETY LOCKS

Gear Heads & Accessories	17
Position Safety Locks	18

4 LOADING RAMPS

Car Carrier Ramps	21
-------------------------	----

5 ELECTRIC & HYDRAULICS

Electric Hydraulic Motors, Switches & Pumps	23
Electric Parts & Jump Starters	24
Curtis Wright Parts	25, 26
Hydraulic Cylinders & Parts	27, 28
Hydraulic Parts	29

6 SAFETY

Roadside Safety	31
Personal Safety	31
Transport Safety	32
Spill Kits	33
Lubricants & Accessories	34
Ladders & Ladder Straps	35

7 TOOLS, ACCESSORIES & FABRICATED PARTS

Bat Wings & Accessories	37
Flippers & Boydston Screw Decking Parts	37
Lockout Door Tools	38

8 BOYDSTON

Boydston Screw Trailer Parts	41-50
Acme Nuts	41
Fabricated Parts	42
Bushings, Bearings & Seals	43
Bearing Mount Plates	44
Electrical	45
Electric Hydraulics	46
Screw Motors	46
Directional Control Valves	47
Acme Lift & Horizontal Screws	48
Actuators & Actuator Accessories	49, 50
Boydston Valve Bank & Accessories	51

9 INDEX

Index & Additional Information	52
--------------------------------------	----

WEB SPECIFICATION, USAGE & WARNINGS:

TRAILER SECUREMENT STRAP SPECIFICATION & USAGE

- B/A trailer securement straps are made to meet or exceed OEM Specifications
- B/A supplies most OEM trailer manufacturers
- All hardware is tested to ensure suitability
- All assemblies have a Work Load Limit tag
- All ratchets are marked with a Work Load Limit
- Assemblies are made in the USA, and meet or exceed Web Sling Tie Down Association

USAGE NOTES

Inspect the assembly before each use. Straps with holes, tears, cuts, snags, broken or worn stitching, excessive abrasive wear, knots, melting or charring, weld splatter, chemical burns, bent or damaged hardware or other apparent damage should be removed from service.

For more information see the Web Sling and Tie Down Association "Inspection Manual for Synthetic Web Tie Downs WSTDA-T-2" available at WWW.WSTDA.COM, or from B/A Products: www.baproducts.com

***ALWAYS** use the assemblies per trailer manufacturers instructions.

***When not in use**, web assemblies should be stored in a cool, dry, dark place.



WARNING: DO NOT OVER TIGHTEN WEBBING
WARNING: NEVER EXCEED WORKING LOAD LIMIT


VEHICLE SECUREMENT

1

Trailer Straps	03
Ratchet Straps	04
Boydston Straps	05
E-Track Straps	06
Ratchet Straps & Accessories	07
Axle Straps.....	08
Strap Storage.....	09

VEHICLE SECUREMENT

Trailer Straps



OEM GRADE REPLACEMENT STRAPS

with Forged Swivel J Hooks, Tire Grippers & Protective Sleeve

PART

BA-3053-120

BA-3053-144

BA-3053-168

LENGTH

10'

12'

14'


WLL

3,670 lbs.

3,670 lbs.

3,670 lbs.

PROTECTIVE SLEEVES ALSO SOLD SEPARATELY TO EXTEND THE LIFE OF YOUR STRAPS: PART # 38-SL2



OEM GRADE REPLACEMENT STRAPS

with OEM Double Finger Hooks, Tire Grippers & Protective Sleeve

PART

BA-1732-120

BA-1732-144

BA-1732-168

LENGTH

10'

12'

14'

WLL


3,330 lbs.

3,330 lbs.

3,330 lbs.

INTRODUCING HEAVY DUTY WEB

HD



HD

HEAVY DUTY OEM GRADE REPLACEMENT STRAPS

with Forged Swivel J Hooks, Tire Grippers & Protective Sleeve

PART

HD-3053-120

HD-3053-144

HD-3053-168

LENGTH

10'

12'

14'

WLL

3,670 lbs.

3,670 lbs.

3,670 lbs.

HD

HEAVY DUTY OEM GRADE REPLACEMENT STRAPS

with OEM Double Finger Hooks, Tire Grippers & Protective Sleeve

PART

HD-1732-120

HD-1732-144

HD-1732-168

LENGTH

10'

12'

14'

WLL

3,330 lbs.

3,330 lbs.

3,330 lbs.



B/A TOP SELLER



RATCHET TIE-DOWN STRAP ASSEMBLY
with Double Finger Hooks & Tire Grippers

PART #
BA-R100

LENGTH
10'

WLL *APPLIES TO BOTH SIZES
1,665 lbs. as a 2-Point Tie Down
3,330 lbs. as a 3-Point Tie Down



RATCHET TIE-DOWN STRAP ASSEMBLY
with Forged Swivel J Hooks & Tire Grippers

PART #
BA-SJR100

LENGTH
10'

WLL
3,670 lbs.


New Longer Swivel J Hook
Easy In Easy Out!



RATCHET TIE-DOWN STRAP ASSEMBLY
with Long Swivel J Hooks & Tire Grippers

PART #
BA-SJL120
BA-SJL120-L

DESCRIPTION	LENGTH	WLL
Strap w/Ratchet	10'	3,670 lbs.
Replacement Strap	10'	3,670 lbs.



RATCHET TIE-DOWN STRAP ASSEMBLY
With Perpendicular Swivel J Hooks & Tire Grippers
For Trailers With Small Holes In Decking

PART #
BA-PSR103

LENGTH
10'

WLL *APPLIES TO BOTH SIZES
1,665 lbs. as a 2-Point Tie Down
3,330 lbs. as a 3-Point Tie Down






DID YOU KNOW?

B/A Products personally performs break tests on all of our products with Working Load Limits. Over the past 30 years we have broken thousands of feet of webbing to ensure your safety. For more information on safety, specifications and usage please visit us online at **WWW.BAPROD.COM**

Bolt Loop



BOYDSTUN OEM DOUBLE J HOOK STRAP
with Bolt Loop

PART #
R-BOYDSTUN
R-BOYDSTUN12

LENGTH
10'
12'

WLL *APPLIES TO BOTH SIZES
1,665 lbs. as a 2-Point Tie Down
3,330 lbs. as a 3-Point Tie Down

Boydstun Straps also available in yellow by Request

Bolt Loop



BOYDSTUN OEM DOUBLE J HOOK STRAP
with Tire Grippers & Bolt Loop

PART #
R-BOYDSTUN22
R-BOYDSTUN24

LENGTH
10'
12'

WLL *APPLIES TO BOTH SIZES
1,665 lbs. as a 2-Point Tie Down
3,330 lbs. as a 3-Point Tie Down

MORE BOYDSTUN Page 41



TIE-DOWN STRAP ASSEMBLY
with Forged Swivel J Hooks, Tire Grippers
& Grab Hook

PART #
BA-SJ106

LENGTH
8'2"

WLL
3,670 lbs.





RATCHET TIE-DOWN STRAP ASSEMBLY
with Three O-Ring E-Track Fittings & Tire Grippers

PART #
BA-ES101

LENGTH
10'

WLL *APPLIES TO BOTH SIZES
1,665 lbs. as a 2-Point Tie Down
3,330 lbs. as a 3-Point Tie Down



RATCHET TIE-DOWN STRAP ASSEMBLY
with O-Ring & Swivel E-Track Fittings & Tire Grippers

PART #
BA-ES100

LENGTH
10"

WLL *APPLIES TO BOTH SIZES
1,665 lbs. as a 2-Point Tie Down
3,330 lbs. as a 3-Point Tie Down



DON'T SEE IT? WE CAN MAKE IT.

As your manufacturer we can create any strap in any configuration that you need. Simply give us a call and IT'S AS GOOD AS DONE.

Common customized parts have included:

- Vehicle Securement Straps
- Chain & Chain Assemblies
- Loading Ramps
- Storage/ Strap Boxes
- Cylinders
- Various Fabricated Parts

What would you like to create?
800.327.3301





**FORGED
SWIVEL J HOOK**
With 2.25" Bracket

PART# BA-10012
WLL: 3,670 lbs.



**PERPENDICULAR
SWIVEL HOOK**
With 2.25" Bracket

PART# BA-10013
WLL: 3,000 lbs.



**DOUBLE
FINGER HOOK**

PART #	WLL
BA-10006	1,665 lbs.
*BA-10015	3,670 lbs.
<i>*Heavy Duty OEM Spec Hook</i>	



2" WIDE HANDLE RATCHET
With Forged Swivel J Hook

PART # 38-20SJ1
WLL: 3,670 lbs.



FORGED SWIVEL J HOOK
With 1.5" Bracket
**Fits in 38-20SJ1*

PART # BA-10011
WLL: 3,670 lbs.



2" WIDE HANDLE RATCHET
with Forged Finger Hook

PART # 38-27
WLL: 2,570 lbs.



**FORGED
FINGER HOOK**

PART # 38-17-H
WLL: 2,570 lbs.



**2" WIDE
HANDLE RATCHET**
with Snap Hook

PART # 38-22D
WLL: 2,000 lbs.




SNAP HOOK
with Spacers

PART # 38-12-H
WLL: 2,000 lbs.



2" WIDE HANDLE RATCHET
with Short Strap & Double J Hook

PART # 38-20DJ
WLL 1,665 lbs.



2" WIDE HANDLE RATCHET
with Web & Forged Swivel J Hook

PART # 38-20SJ2
WLL: 3,670 lbs.



Self Colored



Clear Zinc

1/2" BOLT ON D RING

PART #	DESC	WLL
38-DR1	Clear Zinc	4,080 lbs.
38-DR1SC	Self Colored	4,080 lbs.



2" STRAP WITH 3 FORGED HOOK CLUSTER

PART #	LENGTH	WLL
38-100-S	8'	4,000 lbs.
38-100-S10	10'	4,000 lbs.
38-100-S12	12'	4,000 lbs.



OTHER LENGTHS AVAILABLE! ON ALL OF OUR STRAPS

2" STRAP WITH D-RING

PART #	LENGTH	WLL
38-1	8'	3,330 lbs.
38-1-9	9'	3,330 lbs.
38-1-10	10'	3,330 lbs.
38-1-12	12'	3,330 lbs.



2" STRAP WITH R-HOOK

PART #	LENGTH	WLL
BA-7R4	4'	1,665 lbs.

**Other lengths available upon request*



Complete with

PROTECTIVE SLEEVE

to extend the life of your strap.

SINGLE PLY AXLE STRAP

With Delta Rings & Protective Sleeve

**Protective Sleeve also sold separately*

PART #	LENGTH	WLL
38-57-20WP	20"	3,330 lbs.
38-57-26WP	26"	3,330 lbs.
38-57-36WP	36"	3,330 lbs.
38-57-48WP	48"	3,330 lbs.



3 PLY HEAVY DUTY AXLE STRAP

With Grab Plates

PART #	LENGTH	WLL
38-51-16	16"	3,330 lbs.
38-51-20	20"	3,330 lbs.
38-51-36	36"	3,330 lbs.
38-51-48	48"	3,330 lbs.



B/A OFFERS TOP QUALITY STORAGE BOXES *Special Order*

Including Gas Shocks With Stainless Steel Hinges, Handle & Locks

STORAGE BOX

With Key Lock And Gas Shock Steel Hinges

This Strap Box utilizes gas shocks with stainless steel hinges to prevent the lid from falling back or forward while accessing your stored items. A locking T-Handle provides safety and security to protect your belongings.

PART

BA-SBOX8

BA-SBOX10

DIMENSIONS

24"W x 45"L x 5"D

23.5"W x 36"L x 5"D (shown right)



Locking T-Handle



GENERAL STORAGE BOX

With Center Cut Out

Our dynamic aluminum storage box offers deep storage to provide plenty of space for various different sized items. This box comes with a diamond plate style top and is designed with a cut-out to fit over the cylinder.

PART

BA-SBOX7

BA-SBOX9

DIMENSIONS

38"W x 17"H x 24"D

36"W x 17"H x 24"D



Steel Black Powder Coated Base
With Aluminum Top
BA-SBOX1



Completely Aluminum
BA-SBOX4

STRAP BOX

With Aluminum Or Steel Base

This storage box provides a weather proof seal and twin T-Handle heavy duty key locks and is available with either an aluminum or steel black powder coated base.

PART

BA-SBOX1

BA-SBOX4

DIMENSIONS

77"W x 5"H x 24"D

77"W x 5"H x 24"D



2.

CHAINS

1/4" Auto Transport Chain	11
5/16" Auto Transport Chain	12
Hooks & Clusters.....	13, 14

1/4" & 5/16" AUTO-TRANSPORT CHAIN - USE & CARE


The Work Load Limit of 1/4" Grade 70 transport chain is 3,150 lbs. and the Work Load Limit of 5/16" Grade 70 transport chain is 4,700 lbs. This is the maximum safe load for which the chain is designed and applies to new chain and attachments for direct, straight tension in an undamaged condition. Corrosion, wear, damage or improper loading applications reduce the safe working load limit. See Page 15 for further information on Chain Specifications & Usage.



1/4" GRADE 70 CHAIN with Forged Mini Datsun, Grab, R & T Hooks

PART #	LENGTH
BA-DGRT-4	4'
BA-DGRT-5	5'
BA-DGRT-6	6'
BA-DGRT-8	8'
BA-DGRT-10	10'

WLL: 3,150 lbs.



1/4" GRADE 70 CHAIN with Grab, R & T Hooks

PART #	LENGTH
BA-GRT-2	2'
BA-GRT-4	4'
BA-GRT-5	5'
BA-GRT-6	6'
BA-GRT-8	8'
BA-GRT-10	10'

WLL: 3,150 lbs.



1/4" GRADE 70 CHAIN with Forged Mini Datsun, Grab & T Hooks

PART #	LENGTH
BA-DGT-4	4'
BA-DGT-5	5'
BA-DGT-6	6'
BA-DGT-8	8'
BA-DGT-10	10'

WLL: 3,150 lbs.



1/4" GRADE 70 CHAIN with Hammerhead™, Grab & R Hooks

PART #	LENGTH
BA-HGR-6	6'
BA-HGR-8	8'

WLL: 3,150 lbs.



1/4" GRADE 70 CHAIN with Mini Fairlane, Grab, R & T Hooks

PART #	LENGTH
BA-FGRT-5	5'
BA-FGRT-6	6'
BA-FGRT-8	8'

WLL: 3,150 lbs.



RATCHET HOOK

The B/A Ratchet Hook easily welds on your trailer and attaches to any of our chain assemblies including 1/4" and 5/16".

PART # **BA-P26**



WHY THE DGRT CHAIN IS B/A'S LONG TIME **BEST SELLER**

This DGRT Chain's dynamic hook combination provides ultimate flexibility in the field.



5/16" GRADE 70 CHAIN with Grab, R & T Hooks

PART #	LENGTH
T5-GRT-4	4'
T5-GRT-6	6'
T5-GRT-8	8'
T5-GRT-10	10'

WLL: 4,700 lbs.



5/16" GRADE 70 CHAIN with Forged Mini Datsun, Grab, R & T Hooks

PART #	LENGTH
T5-DGRT-4	4'
T5-DGRT-5	5'
T5-DGRT-6	6'
T5-DGRT-7	7'
T5-DGRT-8	8'
T5-DGRT-9	9'
T5-DGRT-10	10'


WLL: 4,700 lbs.



5/16" GRADE 70 CHAIN with Hammerhead™, Grab & R Hooks

PART #	LENGTH
T5-HGR-6	6'
T5-HGR-8	8'

WLL: 4,700 lbs.



5/16" GRADE 70 CHAIN with Forged Mini Datsun, Grab & T Hooks

PART #	LENGTH
T5-DGT-4	4'
T5-DGT-5	5'
T5-DGT-6	6'
T5-DGT-8	8'

WLL: 4,700 lbs.




CAN'T FIND IT?

We can custom manufacture what you need. Simply give us a call with the details and *it's as good as done.*



800.327.3301

FULLY PLATED CHAIN ----->
Also Available By Special Order





**GRAB & HAMMERHEAD™
HOOKS ON LINK**

PART # BA-GH
WLL: 4,700 lbs.



**GRAB & MINI J
HOOKS ON LINK**

PART # BA-GJ
WLL: 4,700 lbs.



**GRAB, MINI DATSUN
& T HOOKS ON LINK**

PART # BA-DGT
WLL: 4,700 lbs.



GRAB & T HOOKS ON LINK

PART # BA-GT
WLL: 4,700 lbs.



**GRAB, R & T
HOOKS ON LINK**

PART # BA-GRT
WLL: 4,700 lbs.



**GRAB &
R HOOKS ON LINK**

PART # BA-GR
WLL: 4,700 lbs.



**GRAB, MINI DATSUN,
R & T HOOKS ON LINK**

PART # BA-DGRT
WLL: 4,700 lbs.



R HOOK ON LINK

PART # BA-R-L
WLL: 4,700 lbs.



TWO GRAB HOOKS ON LINK

PART# BA-GG
WLL: 4,700 lbs.



GRAB HOOK ON LINK

PART# BA-G
WLL: 4,700 lbs.



T GRAB COMBO HOOK

PART# 11-7D
WLL: 4,700 lbs.



LONG OPEN S HOOK

PART #	SIZE	WLL
BAP-916S	9/16"	3,150 lbs.
BAP-58S	5/8"	3,150 lbs.



As your manufacturer we can create any chain assembly in any configuration that you need. Simply give us a call and IT'S AS GOOD AS DONE.

Hooks & Clusters

CHAIN



OPEN MINI FAIRLINE HOOK

PART #	SIZE	WLL
BAP-916MF	9/16"	3,150 lbs
BAP-58MF	5/8"	3,150 lbs.



MINI DATSUN GRAB COMBO HOOK

PART #	11-7MDG
WLL:	3,150 lbs.



CLOSED MINI FAIRLANE HOOK

PART #	SIZE	WLL
11-7MF	9/16"	3,150 lbs.



MINI DATSUN HOOK

PART #	11-7MD
WLL:	4,700 lbs.



R HOOK

PART #	11-7R
WLL:	4,700 lbs.



MINI J HOOK

PART #	11-7J
WLL:	4,700 lbs.



HAMMERHEAD™ COMBO T/MINI J HOOK

PART #	11-7H
WLL:	4,700 lbs.



T HOOK

PART #	11-7A
WLL:	4,700 lbs.



R & GRAB HOOK CHAIN


Grade 70 Chain with Grab Hook on one end; R Hook at the other end

PART #	CHAIN SIZE	LENGTH	WLL
BA-9RG	1/4"	8"	3,150 lbs.
T5-9RG	5/16"	8"	4,700 lbs.



COUPLING LINK

PART#	G8-516ACL
SIZE	1/4" - 5/16"
WLL	4,500 lbs.



FULLY PLATED ASSEMBLIES
Available By Special Order



CHAIN SPECIFICATION, USAGE & WARNINGS:

THE USE AND CARE OF 1/4" & 5/16" AUTO TRANSPORT CHAIN

The Work Load Limit of 1/4" grade 70 transport chain is 3,150 lbs. and the Work Load Limit of 5/16" grade 70 transport chain is 4,700 lbs. This is the maximum safe load for which the chain is designed and applies to new chain and attachments for direct, straight tension in an undamaged condition. Corrosion, wear, damage or improper loading applications reduce the safe working load limit.

ALWAYS FOLLOW INSTRUCTIONS PROVIDED BY THE TRAILER MANUFACTURER AND THE VEHICLE MANUFACTURER TIE DOWN SPECIFICATIONS. THE FOLLOWING IS A PARTIAL LIST OF FACTORS THAT WILL ADVERSELY AFFECT CHAIN AND SHOULD BE AVOIDED:

BENDING: Chain is designed for straight tension. Bending chain links over corners, edges or even itself will cause localized high stress areas due to this bending. This can result in local stresses that can overload a single link while the nominal stress on the chain segment is much lower. The severity of such loading increases as the sharpness of the edge and/or the bending angle increases.

SHOCK LOADING: Dynamic or shock loading can cause instantaneous high loads (peak loads). These loads can generate significant force and cause an overload even when static forces are below work load limit stresses.

SHORT HOOKING: The standard design grab hooks will cause the link in the grab hook to shear at loads up to 20% below that of a chain in straight tension due to localized bending. The grab hooks are entirely suitable for chain loaded to the work load limit, but will cause preferential failure if the work load limit is exceeded.

WEAR: Wear decreases the chain cross section which reduces the load carrying capability proportional to the decrease in the cross sectional area in direct tension. Reduced cross section can be even more detrimental in bending conditions.

CORROSION: Corrosion is detrimental for two reasons. First, it will decrease the cross sectional area as noted above. Second, corrosion generally creates pits which act as stress risers or stress concentrators.

FATIGUE: Fatigue is the initiation and incremental growth of a crack under cyclic loading. The loads necessary to initiate and propagate the crack are generally well below the static force necessary to induce failure. Therefore, the entire previous load history of the chain is a factor in fatigue.

STRETCHED CHAIN OR COUPLING LINKS: Any chain that exhibits any stretched links or couplings has to have seen a force in excess of the proof test and should be replaced and destroyed immediately. Welded coupling link should never be pulled (loaded) in any manner except a straight pull (the ends of the links). Applying a load to the side of the link can cause premature failure. This also applies to chain links.

DRAG DAMAGE: For obvious reasons, any chain that has been dragged needs to be replaced and discarded. Even drag damage to only one link ruins the safe work load of the entire assembly. A chain is only as strong as its weakest link.

CROSS DECK HYDRAULIC LOADING: When vehicles on one floating ramp are tied to ratchets on another portion of the trailer, hydraulic loading of the chain occurs. These forces can be extremely high. Therefore, "cross loading" should never be done.

TIE-DOWN ANGLE: Follow the trailer manufacturers instructions and tie-down the vehicle on all four corners. This loading secures the vehicle and prevents any forward or backward motion during transport.



WARNING: DO NOT OVER TIGHTEN CHAIN

WARNING: NEVER EXCEED WORKING LOAD LIMIT (WLL)


WARNING: NOT FOR RECOVERY

3.

GEAR HEADS & POSITION SAFETY LOCKS

Gear Heads & Accessories.....	17
Position Safety Locks.....	18





BOYDSTUN LARGE QUICK RELEASE PAWL & TUBE SET
Replacement Pin Sold Separately

PART # **BOY-208**



INDIVIDUAL PARTS

PART #	DESC
BOY-208P	Pawl Only
BOY-208T	Tube Only
BA-205	Replacement Pin



LEFT



RIGHT

LOOKING FOR WINCH BARS?

See Page 32

LEFT & RIGHT GEARS


PART #	ID	SIDE
BA-133L	1.33"	Left
BA-133R	1.33"	Right
BA-150L	1.5"	Left
BA-150R	1.5"	Right

SEE SECTION 8 FOR MORE BOYDSTUN PARTS & ACCESSORIES



PAWL & PIN

PART #	DESC
BA-P248	Pawl
BA-216	Pin



LEFT

RIGHT

DEHAVAN PAWL TENSION SPRING

PART #	L/R
BA-S641D	Left
BA-S640D	Right



DEHAVAN PAWL

PART # **BA-P384D**



CHAIN IDLER

PART # **BA-805**



PAWL & PIN

PART #	DESC
BA-P249	Pawl
BA-205	Pin



RATCHET HOOK

The B/A Ratchet Hook easily welds on your trailer and attaches to any of our chain assemblies (1/4" and 5/16").

PART # **BA-P26**



LEFT QUICK RELEASE PAWL

PART # **BA-QRL**




RIGHT QUICK RELEASE PAWL

PART # **BA-QRR**



Position Safety Locks



GEAR HEADS & POSITION SAFETY LOCKS



4" SNAP LOCK PIN

PART #	SIZE	DESC
BA-12SLPW	1/2"	With Washer
BA-58SLPW	5/8"	With Washer
BA-58SLP	5/8"	No Washer
BA-34SLPW	3/4"	With Washer

Standard Sizes



5/8" x 4" PRETZEL STAY LOCK PIN

PART #	DESC
BA-PP55L	LEFT
BA-PP55R	RIGHT



SMALL SAFETY SNAP LOCK PIN

Secures Wheels in Place

PART #	SIZE
BA-DWS14275	1/4"
BA-DWS516275	5/16"
BA-DWS38275	3/8"



5/8" x 4" ANGLED LOCK PIN

With Hair Pin Clip

PART # **BA-LP584**



5/8" x 4-1/2" PIN LOCK HITCH PIN

With Hair Pin Clip

PART # **BA-HP58N**

REPLACEMENT SPRING LOCKS

B/A's durable Steel Spring Locks are made to be welded directly onto your carrier if desired.




PART #
BA-SL
BA-SL-L

SIZE
SHORT
LONG



REPLACEMENT PARTS



SPRING

PART #	DESC
BA-SL102S	SHORT
BA-SL102L	LONG



SPRING LOCK PIN With Ring

PART #	DESC
BA-SL101S	SHORT
BA-SL101L	LONG



DRIVE PIN
PART # **BA-SL105**



HEAVY DUTY RING
PART # **BA-SL103**



WASHER
PART # **BA-SL104**

B/A LOADING RAMPS

We stock a large variety of auto transport ramps to suit your needs in **TUBE STYLE**, **OPEN STYLE**, **ROLLER STYLE** AND **JUMP STYLE**. Please don't hesitate to give our customer service team a call if you have any questions about ordering ramps for your needs.

Knife Point

TUBE STYLE RAMP

One of the most secure ways to connect your ramp to your truck is with the tube style ramp. This is due to the the additional support offered by the skid seat and pin locking it into place.

Reverse
Knife Point

JUMP RAMP

Jumps ramps allow the vehicle to get from the trailer to the tractor.

Stub Toe

OPEN-END RAMP

The open end style ramp offers a reliable hook designed to fit up to an 1-1/4" round bar or angle steel. Must have a rail to connect.

Opening for
Winch Bar

ROLLER RAMP

The roller ramp is a designed to easily roll into place with the use of a winch bar.

4.

LOADING RAMPS

Car Carrier Ramps 21

**Custom Ramps Available Upon Request*



LOADING RAMPS

Car Carrier Ramps

TUBE STYLE RAMP



OPEN STYLE RAMP



ROLLER STYLE RAMP



JUMP STYLE RAMP



PART #	NAME	SIZE	LBS PER AXEL
*R-C18090-R5	ROLLER RAMP	18" W X 90" L	5,000 LBS PER AXLE
*R-C18099-R5	ROLLER RAMP	18" W X 99" L	5,000 LBS PER AXLE
R-D18103-R5	DELANVAN STYLE ROLLER RAMP	18" W X 103" L	5,000 LBS PER AXLE
R-BJ18099-O4	BOYDSTUN STYLE OPEN JUMP RAMP	18" W X 99" L	4,000 LBS PER AXLE
R-B19104-R5T	BOYDSTUN STYLE ROLLER RAMP	19" W X 104" L	5,000 LBS PER AXLE
R-M18072-O4	OPEN END RAMP	18" W X 72" L	4,000 LBS PER AXLE
R-M14084-O4T	OPEN END RAMP - THIN	14" W X 84" L	4,000 LBS PER AXLE
R-M18084-O4	OPEN END RAMP	18" W X 84" L	4,000 LBS PER AXLE
R-M18094-O5	OPEN END RAMP	18" W X 94" L	5,000 LBS PER AXLE
R-M15094-O5T	OPEN END RAMP - THIN	15" W X 94" L	5,000 LBS PER AXLE
R-M15094-O5	OPEN END RAMP	15" W X 94" L	5,000 LBS PER AXLE
R-M18096-O5	OPEN END RAMP	18" W X 96" L	5,000 LBS PER AXLE
R-M18072-T4	TUBE END RAMP	18" W X 72" L	4,000 LBS PER AXLE
R-M18084-T4	TUBE END RAMP	18" W X 84" L	4,000 LBS PER AXLE
R-M15094-T4T	TUBE RAMP - THIN	15" W X 94" L	4,000 LBS PER AXLE
R-M18096-T5	TUBE RAMP	18" W X 96" L	5,000 LBS PER AXLE
R-J18072-T4	JUMP RAMP	18" W X 72" L	4,000 LBS PER AXLE
R-J15077-T4	JUMP RAMP	15" W X 77" L	4,000 LBS PER AXLE
R-J18084-T4	JUMP RAMP	18" W X 84" L	4,000 LBS PER AXLE



RAMP STOP/ SKID PLATE

Prevent your ramps from sliding completely out of the trailer pocket. **Must be used with R-C18099-R5 & R-C18090-R5 Ramps.*

PART # **R-RS1**



ANCHOR PIN

With Hair Pin Clip

PART #	SIZE
BA-AP19	19"
BA-AP22	22"
BA-AP26	26"



3-1/4" REPLACEMENT HAIR PIN CLIP

PART # **BA-HPC6**



18" WELDABLE RAMP SEAT

For Tube Style Ramps Only


PART # **BA-SEAT18**



REPLACEMENT ROLLER

with pin for roller ramps

PART # **R-R1**



UTION
BLUE WIRE
CONTINUOUS POWER
FOR TRAILER
ABS SYSTEM

5.

ELECTRIC & HYDRAULICS

Electric Hydraulics Motors, Switches & Pumps	23
Electric Parts & Jump Starters	24
Curtis Wright Parts	25, 26
Hydraulic Cylinders & Parts	27, 28
Hydraulic Parts	29

B/A STOCKS A COMPLETE LINE OF ELECTRICAL COMPONENTS

including motors, switches, relays, solenoids and more. All meet or exceed OEM specifications.



MUNCIE PUMP
PTO Pump

PART #	SIZE
HYD-PUMP6	6 gal
HYD-PUMP8	8 gal
HYD-PUMP17	17 gal

For Boydstun Screw Trucks



12/24 VOLT SOLENOID
For Use With 12V Vented
& Enclosed Electric Motors
PART # **SOL-12V**

**12V ENCLOSED
ELECTRIC MOTOR**
PART # **EM-AL44001A**



**12V VENTED
ELECTRIC MOTOR**
PART # **EM-AL24001A**



HYDRAULIC PUMP
For Use With 12V Vented &
12V Enclosed Electric Motors
PART # **HYD-PUMP1**

**BOYDSTUN
ELECTRIC HYDRAULIC
REPLACEMENT MOTOR**
PART # **EM-001**



HYDRAULIC PUMP
Bolts To Replacement Motor
PART # **HYD-PUMP2**

BOYDSTUN 5 WIRE MOMENTARY SWITCH Page 45



**MASTER SHUT-OFF
SWITCH**
PART # **MDS-902** DESC
Primary



**2 WIRE
MOMENTARY SWITCH**
PART # **BA-MS2**



**3 WIRE
MOMENTARY SWITCH**
PART # **BA-MS3**



POWER COMBINER
PART # **PC-92061**



**BOYDSTUN SCREW VOLTAGE
CONDITIONER**
PART # **VC-SP**



EQUALIZER
PART # **E-211**

WARNING

Always read the safety instructions completely before using this product.



LARGE JUMP START PACK

12 Volt DC/ 2000 Peak Amp Jump Starter. Heavy Duty 4 Gauge Cables with built in charger.

PART # **41-JNC950**



SMALL JUMP START PACK

Durable and reliable 12 Volt hand held jump start delivers 1700 peak amps of jump starting power. 425 cranking amps, 46" long, 4 gauge heavy duty cables, built-in charger, rugged, durable and field proven.

PART # **41-JNC660**




**VALVE
HANDLE COVERS**
PART # COLOR
CW-HCB BLACK
CW-HCR RED



VALVE HANDLE
PART # **CW-NSHW**



SECTION SEAL KIT
PART # **CW-BCSSA**



OUTLET SECTION
With Power Beyond
PART # **CW-51713301**



**POWER BEYOND
SLEEVE ASSEMBLY**
PART # **CW-1102**



SPOOL SEAL KIT
PART # **CW-QRW**



OUTLET SECTION PLAIN
PART # **CW-517050P**




SPRING ASSEMBLY KIT
PART # **CW-SKIT**



SPOOL SHAFT KIT
PART # **CW-51615SPL**

CURTIS WRIGHT

Control Valves are offered individually or completely assembled for your convenience (shown right). 2 Port Sections are available in 1-20 banks. All of our Curtis Wright Valves are only available in 2 Ports.




CENTER 2 PORT SECTION
PART # **CW-51615CS**



ADJUSTABLE RELIEF VALVE
PART # **CW-RDCS22**




5 PACK OF SPOOL ASSEMBLY GREASE
PART # **CW-GPAK**



INLET SECTION
With Adjustable Relief Valve
PART # **CW-51502IV**




INLET SECTION PLAIN
PART # **CW-51501IP**



GUIDE TO ORDERING YOUR CYLINDERS:

Cylinders available with inline ports or 90 degree ports

Stand tube and telescopic cylinders available



A. To determine the **STROKE**:

- (1) Measure Center of Eye to Center of Eye (*Collapsed Length*)
- (2) Subtract 10" if Solid rod, Subtract 11" if hollow rod

B. To determine the **BORE SIZE**:

- (1) Measure the Outside Diameter of Tube and subtract .5" to determine the Internal Diameter of the Tube/ Bore Size
- * Standard Bore Sizes = 2", 2.5", or 3"


C. To determine the **ROD DIAMETER /SHAFT SIZE**:

- (1) Measure the Rod Diameter
- * Standard Rod Sizes: 1.25" solid rod, 1.5" hollow or solid rod

Stand Tube

90°

Inline



SEE SECTION 8 FOR MORE BOYDSTUN PARTS & ACCESSORIES

SHANK ENDS



PART #	SEC-2IN	SEC-290	SEC-25IN	SEC-2590
SIZE:	2" Bore	2" Bore	2.5" Bore	2.5" Bore
STYLE:	Inline	90°	Inline	90°

GLAND NUTS



PART #	GNC-2	GNC-25	GNC-212516P	GNC-21516P
SIZE:	2" Bore	2.5" Bore	2" Bore	2" Bore
STYLE:	1.5" O.D.	1.5" O.D.	1.25" O.D. with a 16° Pitch	1.5" O.D. with a 16° Pitch

Fits Boydston & HDM Cylinders



#6 ELBOW FITTING
PART # **HYD-6JIC**




#6 FLAT FACE ELBOW FITTING
PART # **HYD-6FF**

**CYLINDER PIN CLIP**

PART #
BA-RC34

**CYLINDER PINS**

PART #	SIZE
A. BA-LHCP3425	3/4"x 2-1/2"
B. BA-CP3425	3/4"x 2-1/2"
C. BA-CP343	3/4"x 3"
D. BA-CP344	3/4"x 4"

CYLINDER SEAL KITS**COMPLETE SEAL KIT**

PART # **CT-150275TG** (SHOWN)

**GLAND SEAL KIT**

PART # **CT150250G** (SHOWN)

SEAL TOOL

PART # **S-TOOL150**

**STANDARD SEAL KITS**

PART #	SIZE/ DESCRIPTION
CT-150200	1.5" Rod X 2" Bore Complete Kit
CT-150200G	1.5" Rod X 2" Gland Nut Seal Kit
CT-150250	1.5" Rod X 2.5" Bore Complete Kit
CT-150250G	1.5" Rod X 2.5" Gland Nut Seal Kit
CT-150275T	Telescopic Complete Kit
CT-150275TG	Telescopic Gland Kit

BOYDSTUN SEAL KITS

PART #	SIZE/ DESCRIPTION
BS-125200	1.25" Rod X 2" Bore Complete Kit
BS-125200G	1.25" Rod X 2" Gland Nut Seal Kit
BS-150200	1.5" Rod X 2" Bore Kit
BS-150200G	1.5" Rod X 2" Bore Gland Nut Kit
BS-150237T	Telescopic Complete Gland Nut Seal Kit
BS-150250	1.5" Rod X 2.5" Bore Complete Kit
BS-150250G	1.5" Rod X 2.5" Bore Gland Nut Seal Kit
BS-150300	1.5" Rod X 3" Bore Complete Kit
BS-150300G	1.5" Rod X 3" Bore Gland Nut Seal Kit
BS-150237TG	Telescopic Complete Gland Nut Seal Kit

DELEVAN SEAL KITS

PART #	SIZE/ DESCRIPTION
DV-125200	1.25" Rod X 2" Bore Complete Kit
DV-125200G	1.25" Rod X 2" Bore Gland Nut Kit
DV-150200	1.5" Rod X 2" Bore Complete Kit
DV-150200G	1.5" Rod X 2" Bore Gland Nut Seal Kit
DV-150237T	Telescopic Complete Kit
DV-150250	1.5" Rod X 2.5" Bore Complete Kit
DV-150250G	1.5" Rod X 2.5" Bore Complete Kit
DV-150300	1.5" Rod X 3" Bore Complete Kit
DV-150300G	1.5" Rod X 3" Gland Nut Seal Kit
DV-150200FB	1.5" Rod X 2" Bore Complete Kit FB
DV-150200ST	1.5" Rod X 2" Bore Complete Kit ST
DV-150237TG	Telescopic Gland Nut Kit
DV-150250FB	1.5" Rod X 2.5" Bore Complete Kit FB
DV-150250ST	1.5" Rod X 2.5" Bore Complete Kit ST
DV-150300FB	1.5" Rod X 3" Bore Complete Kit FB

HYDRAULIC HOSE REUSABLE REPAIR UNIONS

For TEMPORARY repairs on the road. This will allow you to load or unload and avoid costly road service repairs.



PART #	SIZE/ DESCRIPTION
HYD-141W	1/4" HOSE SPLICE (1WIRE)
HYD-142W	1/4" HOSE SPLICE (2WIRE)
HYD-381W	3/8" HOSE SPLICE (1WIRE)
HYD-382W	3/8" HOSE SPLICE (2WIRE)
HYD-121W	1/2" HOSE SPLICE (1WIRE)
HYD-122W	1/2" HOSE SPLICE (2WIRE)

HYD-C1 24" HYDRAULIC BRAIDED HOSE CUTTER



COMPONENT PARTS



PARTIALLY ASSEMBLED



FULLY ASSEMBLED



UNION IN-USE ON HOSE (Not Included)


1/2" QUICK DISCONNECT RELEASE UNIONS

MALE



PART #	SIZE
HF-050	1/2" Pipe Thread
HF-051	1/2" Pipe Thread

FEMALE



← -- TOP SIDE

HYDRAULIC SAFETY DOUBLE LOCK PRESSURE VALVE

PART #	SIZE
HPR-38	3/8"
HPR-12	1/2"

← -- BOTTOM SIDE


3/4" QUICK DISCONNECT RELEASE UNIONS

MALE



PART #	SIZE
HF-064	3/4" Pipe Thread
HF-060	3/4" Pipe Thread

FEMALE



EQUALIZER VALVE

Part # **EV-122**

1/2" QUICK DISCONNECT RELEASE UNIONS

MALE



PART #	SIZE
HF-068	1" Pipe Thread
HF-062	1" Pipe Thread

FEMALE



HYDRAULIC TANK CAP

PART # **HC-015**



HOSE TENSION SPRING

PART #	SIZE	DESC
THS-100	3/4" D x 13.5" L	NARROW
THS-101	1" D x 14" L	WIDE - BOYDSTUN

HYDRAULIC TANK SIGHT GAUGE

PART # **SG-205**



6.

SAFETY


Roadside Safety	31
Personal Safety	31
Transport Safety.....	32
Spill Kits.....	33
Lubricants & Accessories.....	34
Ladders & Ladder Straps	35





WE VALUE YOUR SAFETY.

For more information about the safety specifications & usage of our products, please visit our website www.baproduct.com



Grommets

Bungee Cord




18" X 18" SAFETY FLAGS

PART #	COLOR	DESCRIPTION
BA-FLAG	Orange	With Grommets
BA-FLAGR	Red	With Grommets
BA-FLAG1	Orange	With Bungee Cord
BA-FLAGR1	Red	With Bungee Cord



SAFETY TRIANGLE KIT
PART # 26-3



CONSPICUITY TAPE

PART #	DESCRIPTION
36-CT150	Red/ White 150' Roll
36-CTW	White 150' Roll



RUBBER WHEEL CHOCK
with Eye Bolt

PART #	SIZE
5-RWC1	6"Hx9.75"Wx8"D



SAFETY CONE
with recessed reflective bands

PART #	SIZE
26-TCR28	28" H



FOLDING STEPS
Painted Black

PART #
19-STEP1

Reflective Safety Vests

Ultra bright Fluorescent color and 2"W silver reflective stripes make these vests virtually impossible to miss. ANSI compliant. 100% polyester mesh construction provides all day comfort. Please order one size up from usual clothing size.



Velcro Closure
100% Polyester

CLASS II LIME SAFETY VEST

PART #	SIZE
46-10A	Large
46-10B	X-Large
46-10C	2X-Large
46-10D	3X-Large
46-10E	4X-Large
46-10F	5X-Large

*Other sizes available.



Zipper Front
Mesh

CLASS III LIME SAFETY VEST With Short Sleeves

PART #	SIZE
46-1A	Large
46-1B	X-Large
46-1C	2X-Large
46-1D	3X-Large
46-1E	4X-Large

*Other sizes available.



MEASURING STICK
with 4' Arm
Measures from 5'10" to 15'

PART # BA-MS4



METRIC MEASURING STICK
with 4' Arm
Measures from 1.7m (170 cm)
to 5.57m (557 cm)

PART # BA-METRIC

Measuring Sticks feature folding 48" cross arm. They are lightweight fiberglass and fold down for convenient storage.



SEE SECTION 3, PAGE 15, FOR GEAR HEADS



The 24" Winch Bar is recommended for strap truck applications. The 28" and the 34" Winch Bars are used on 1/4" Grade 70 Transport Chain. The 38.5" Winch Bar is only used on 5/16" Grade 70 Transport Chains. Refer to your car haul manufacturer's manual for usage.

WINCH BARS

PART #	LENGTH
BA-WB24	24"
BA-WB28	28"
BA-WB34	34"
BA-WB385	38.5"



38.5" Winch Bar (BA-WB385) is for use with 5/16" Grade 70 chain only.

TARP STRAPS

Sold In Case Quantities of 50

PART #	LENGTH	PART #	LENGTH
38-TS10	10"	38-TS21	21"
38-TS15	15"	38-TS31	31"



CUSTOM SPILL KITS

Made Upon Request



DELUXE UNIVERSAL SPILL KIT

Includes one pair goggles, one disposal bag, one pair gloves, two 48" absorbent socks, ten 15" x 18" absorbent pads, 1/2 Gallon Super Sorbent Liquid & Oil Sorbent and clear storage bag for everyday use.

PART # **BA-SPILL**

REPLACEMENT PADS

PART # **BA-PAD1** QUANTITY Case of 100

REPLACEMENT SOCKS

PART # **BA-SPILL-S** QUANTITY Case of 30



STANDARD SPILL KIT

Includes, one disposal bag, , two 48" absorbent socks, ten 15" x 18" absorbent pads and clear storage bag for everyday use.

PART # **BA-SPILL2**



15" X 18" WHITE OIL ABSORBANT PADS
Intended for petroleum based clean up.

PART # **BA-PAD2** QUANTITY Case of 100



SUPER SORBENT™ Liquid & Oil Sorbent

This anti-slip compound provides traction on wet, oily and icy surfaces. Super Concentrated - Leaves surfaces completely dry. Absorbs 10 to 12 times more liquid than traditional clay products.

PART # **BA-SS2C** SIZE 2 Quart/ Case of 12
PART # **BA-SS16** SIZE 16 lb. Bag

● B/A PRODUCTS CO. HAS ITS OWN LINE OF SOLVENT BASED GRAPHITE LUBRICANT SLIDE RITE®:

Gallons, quarts or spray cans, choose what size/ style works best for you. Slide Rite dries to a slippery film that does not attract dust or dirt. This product is specially formulated for car haulers and works great anywhere there is metal to metal contact. Spray or brush it on.

● B/A ALSO HAS ITS OWN LINE OF GRIP PAINT NO-SKID®:

Available in gallons: black, gray and white. Brush or roll on any surface where sure footing is required. Car hauler decks, roll back decks, truck bodies, even floors. We also stock specially designed roller pads for proper application shown below (BA-ROLLER).

● NEED A LUBRICANT FOR ROLLER CHAIN HARDWARE?

Try Chain Gang™ Oil Lubricant. Available in spray cans, it foams to expand into cracks and crevices. This long lasting water resistant lubricant will protect your quick release ratchet pawls and gear heads to help prevent rust and corrosion.

NEW & IMPROVED - Stronger Adhesive & Rust Inhibitor



SLIDE RITE® GRAPHITE LUBE

Dry Graphite Lubricant. Long lasting, quick drying, excellent adhesion and handles extreme pressure. Will not collect dirt or dust. Help heavy loads slide more easily.

*Sold By Case Only

PART #	QUANTITY
BA-SRQ	6 Quarts/ Case
BA-SRG	4 Gallons/ Case
BA-SRA	12 Aerosol Cans/ Case



NO-SKID®

Water-based acrylic no-skid coating will help reduce the risk of slipping or falling in a potentially slippery area. Sold in cases only; 4 gallons per case.

PART #	COLOR
BA-NSB	Black
BA-NSG	Gray
BA-NSW	White



ROLLER FOR NO-SKID®

PART # BA-ROLLER

BRUSHES FOR SLIDE RITE®

PART #	SIZE
BA-BRUSH2	2"
BA-BRUSH3	3"

LONG LASTING • WATER RESISTANT



CHAIN GANG LUBRICANT

Reduces friction and wear, eliminates corrosion, able to withstand extreme temperatures, **water resistant**. Sold in cases only.

PART #	SIZE
BA-LUBE	12 Aerosol Cans/ Case



SAFETY

Ladders & Ladder Straps

B/A LADDERS are designed with rubber feet and extruded rungs for more secure footing. Ladders are OSHA and ANSI approved with a 375 LB rating. Safety straps and mounting brackets sold separately below. Custom sized ladders available.

ALUMINUM LADDER 1 TOP

No Hooks

Our standard ladder was designed to apply to several different trailer applications.

PART # BA-LADDER1

SIZE 120" L x 16" W

ALUMINUM LADDER 2 TOP

With Hooks

This ladder is primarily used as a replacement ladder on the Boydston Screw Trucks.

PART # BA-LADDER2

SIZE 109" L x 13" W



ALUMINUM LADDER 3 TOP

With Hooks

B/A's ladder offers hooks on top and a locking tab on the bottom rung for a pad lock.

PART # BA-LADDER3

SIZE 115" L x 18" W



FITS LADDER 1



FITS LADDER 3

REPLACEMENT WIDE LADDER BRACKET

Slotted Brackets for Lockable Tab

Sold In Pairs

PART #	SIZE	DESC
BA-LAD-B	16" Wide	For Ladder 1
BA-LAD-B3	18" Wide	For Ladder 3



REPLACEMENT LADDER LOCKING PIN

Locks Ladder Into Place


PART # 38-13-H



REPLACEMENT LADDER FEET

Comes with 4 - 3/16" Rivets

PART #	SIZE
BA-LAD-F	KIT



Easily Secures To Ladder and Decking

LADDER STRAP

PART #: BA-LAD-S

UNIT: EACH






TOOLS, ACCESSORIES & FABRICATED PARTS

Bat Wings & Accessories.....	37
Flippers & Boydstun Screw Decking Parts.....	37
Lockout Door Tools.....	38

Have a part you need made? We can help.

JUST GIVE US A CALL - IT'S AS GOOD AS DONE.



Other Sizes Available ---->

BAT WINGS

PART # **B-W1L** (LEFT)

PART # **B-W1R** (RIGHT)



BA-FLIPPER3----->



BA-FLIPPER5----->



BA-Flipper5A----->

Aluminum tubes allow for welding to aluminum decking.



FLIPPER

PART #	SIZE	STYLE
BA-FLIPPER3	8 3/4" (3 HOLE)	STEEL
BA-FLIPPER5	13 3/4" (5 HOLE)	STEEL
BA-FLIPPER5A	13 3/4" (5 HOLE)	ALUMINUM TUBES



BAT WING HANGER KIT
PART # **B-W100**



BOYDSTUN DECKING EXTRUSION BAR

PART # **BA-TULIPBAR** SIZE 1"x48"



BOYDSTUN CENTER SECTION

Cross Bar Support

PART #	SIZE
CBS-020	20 HOLE
CBS-021	21 HOLE

B/A Products offers the Boydston Center Section in sizes from 20-49 holes.



CENTER CHANNEL DOUBLER

Weldable for quick repairs to cracked cross bars for support

PART #	LENGTH
CCD-568	.25" x 22.5"



SPANNER NUT TOOL

Our Spanner Nut Tools are used to remove and re-tighten the spanner locking nuts on the horizontal bearing for the Boydstun screw trailers. Also used for the top screw acme nuts. Spanner Nuts shown on page 43. Acme Nuts on next page.

BOYDSTUN SPANNER NUT PARTS Page 43



**LONG SHAFT
SPANNER NUT TOOL**
PART # **SN-TOOL1**

SPANNER NUT TOOL
PART # **SN-TOOL2**

SPANNER NUT TOOL
PART # **SN-TOOL3**



Pin Setter Rod

48" Pin Setter Locking Tool

PART # DESCRIPTION

PS-1 Standard

PS-2 Delavan



INSPECTION MIRROR

Expandable for reach and flexibility.

PART # **M-100**



SNEAKY PETE DOOR TOOL

The Sneaky Pete has push and pull cuts on each end. The combination of spring steel construction and narrow width aids in easily bypassing lock guards.

PART #	SIZE	UNIT
12-1A	3/4" W x 22" L	EA

INFLATABLE AIR WEDGE

The inflatable Air Wedge carefully separates the door panel from the vehicles window, allowing easy access for long reach door tools.

PART #	UNIT
12-275	EA



RED ALERT DOOR TOOL

Our long reach tool has a rigid design for excellent leverage. Features a powder coat finish and a protective tip.

PART #	SIZE	UNIT
12-270	54" L	EA




PLASTIC WINDOW WEDGE

Our rigid design separates the door panel from the vehicles window, allowing easy access for the door tools.

PART #	SIZE	UNIT
12-W5	5.5" L x 2.5" W	EA

B/A PRODUCTS CO.

provides a wide range of Boydstun products to help you extend the life of your trailer as much as possible.



8.

BOYDSTUN

Boystun Screw Trailer Parts.....	41-50
Acme Nuts.....	41
Fabricated Parts.....	42
Bushings, Bearings & Seals.....	43
Bearing Mount Plates.....	44
Electrical.....	45
Electric Hydraulics.....	46
Directional Control Valves.....	47
Acme Lift & Horizontal Screws.....	48
Actuators & Actuator Accessories.....	49, 50
Boystun Valve Bank & Accessories.....	51

B/A STOCKS A COMPLETE LINE OF BOYDSTUN SCREW TRAILER REPLACEMENT PARTS

Acme Nuts, Bearing Plates, Screw Drive Motors, Actuators and Accessories, Bushings, Bearings and Seals, Valve Banks and More. We Can Even Rebuild Your Electrical Control Box.

ACME NUTS & FOLLOWER NUTS

Shows Internal Diameter Of Each Acme Nut



PART# AN-442



PART# FN-736-1



PART# FN-736-2



PART# FN-736-3



PART# AN-340



PART# FN-462



PART# FN-709



PART# AN-551



PART# AN-054




PART# AN-211



PART# AN-962



PART# AN-048



FOLLOWER NUT
With Foam Indicator

PART # ID
FN-446 1.25"



FOAM INDICATOR

PART #
FI-549
*Sold In Packs Of 10




HALF FOAM INDICATOR


PART # **FI-994**
*Sold In Packs Of 2



**VERTICAL SCREW
SLIDER BOX**
PART # **BOY-206**




BOX BRACKET
PART # **BOY-201**




**SQUARE FORK
With Foot**
Pos. # 3 Yoke
PART # **BOY-203**



SQUARE FORK
PART # **BOY-204**



**ROUND FORK
With Foot**
PART # **BOY-202**



ROUND FORK
PART # **BOY-205**




EGB-377

EGB-060

END GUIDE BUSHING

PART #	DESC
EGB-377	For #7 Slide
EGB-060	For #4 Slide



SGC-767



SGC-684



SGC-765

VERTICAL SLIDE GUIDE CHANNEL


PART #	DESC
SGC-767	1/4" POST WALL TUBE
SGC-684	3/16" POST WALL TUBE
SGC-765	1/8" POST WALL TUBE



**SLIDE GUIDE
CHANNEL**
Pos. # 2,3 & 7 Slide
PART # **SGC-979**



UHMW PAD
Pos. # 4 Slide
PART # **PAD-278**



THRUST BEARING

Used with 1.5" Lift Screw
Fits UMP-523, UMP-641, UMP-768

PART # B-THRUST

SIZE: 0.81" H X 1.17" D



THRUST BEARING PARTS



RB-113



RB-114

TAPERED ROLLER BEARING & CONE

Used With Horizontal Bearing Housings

PART # RB-113

DESC.

Roller Bearing Cup

PART # RB-114

Roller Bearing Cone



B-ROLLER1



B-SLEEVE

ROLLER BEARING & BEARING SLEEVE

Used with 1.25" Lift Screw

Fit into Upper Bearing Plates: UMP-713

PART #

DESC

B-ROLLER1

Roller Bearing

B-SLEEVE

Bearing Sleeve

SPANNER NUT TOOL Page 38



SN-047

SN-059

SPANNER NUT

Used With Horizontal
Bearing Housings

PART #

DESC

SN-047

Bearing Lock Nut

SN-059

Thin Lock Nut



BB-024



FB-035

BRONZE BUSHING & FLAT BUSHING

Used with 1.5" Lift Screw

PART #

DESC.

BB-024

Bronze Bushing

FB-035


Flat Bushing



BRONZE WASHER

Used with 1.25" Lift Screw

PART # BW-058



VERTICAL RAIL CAM FOLLOWER ROLLER BEARING

PART #

SIZE:

CF-050

1.75" H



UPPER BEARING PLATE SEAL

Used with 1.5" Lift Screw

Fits with UMP-768

PART # S-048



CASTLE NUT

PART #

DESC

CN-007

Used with 1.5" Lift Screw

CN-015

Used with 1.25" Lift Screw



TOP SCREW ACME NUT

Used with 1.25" Lift Screw

PART # AN-331




SPACER FOR BOYDSTUN SCREW

Used with 1.5" Lift Screw

PART # SP-364

UPPER BEARING MOUNT PLATES

PART #	SIZE
UMP-713	3" x 6"
UMP-768	2-5/8" x 5-5/8"
UMP-641	2-3/4" x 5-11/16"
UMP-523	2-1/2" x 5-1/2"

**UPPER BEARING MOUNT PLATES:**

B/A Products highly recommends that the bearing plate is measured to ensure you receive the correct sizes when placing your order. Sizes shown left. Call our customer service team if you need help determining the measurements.



UMP-713



UMP-641



UMP-768



UMP-523

**HORIZONTAL BEARING HOUSING**

PART # BH-956
DESC: Pos. 2, For #7 Slide

**HORIZONTAL BEARING HOUSING**

PART # BH-018
DESC: Pos. #4 Slide

**HORIZONTAL ADAPTER PLATE**

PART # AP-039
DESC: Pos. #4 Slide

**HORIZONTAL BEARING RETAINER PLATE**

PART # BRP-040
DESC: Pos. #4 Slide

12 AMP CIRCUIT BREAKER

PART # **CB-12A**

IDEC RELAY ONLY

No Base

PART # **RELAY-ID**

TURCK RELAY ONLY

No Base

PART # **RELAY-T**

JUMPER

PART # **J-113** DESC
5 Pack

RELAY ONLY FOR WAGO BASE

Fits in Wago Relay base

PART # **RELAY-W**

WAGO RELAY

With Base

PART # **RELAY-WB**

RELAY SOCKET

PART # **RELAY-S**



DIODE BLOCK

PART # **DIODE-401**



DIODE BLOCK

PART # **DIODE-281**



12V - DC COIL

*For use with the SOL-1000
& SOL-047 shown on pg 46*


PART # **C-80034**



12" JUMPER WIRE

With Deutsch Forbcoil

PART # **JW-12**



TOWER 5 WIRE MOMENTARY SWITCH

PART # **BA-MS5**



PARKER COIL

For Motor Stop

PART # **PC-LWD012**




ROOF SWITCH

PART # **RS-307**



ROOF LIMIT SWITCH

PART # **RLS-512**



BOYDSTUN ELECTRIC BOX


PART # *Available Through
Special Order*



BOYDSTUN SCREW MOTORS

PART #	STYLE
HM-710045127	80cc, Side Port, Spline
HM-710045127N	80cc, Side Port, Nitro Spline
HM-710045128	80cc, Manifold, Spline

PART #	STYLE
HM-71045128N	80cc, Manifold, Nitro Spline
HM-710055329	80cc, Side Port, Nitro Triangle
HM-710056708	80cc, Manifold, Triangle
HM-710045131	100cc, Side Port, 2 Bolt Spline



MOTOR MANIFOLD
Used with the above highlighted part numbers.

PART # **MM-493**



MOTOR MANIFOLD SCREWS - 4 Pack
PART # **MM-493S**



CARTRIDGE VALVE SOLENOID
Fits in black 12V Coil C-800H.
Shown on Page 45.

PART # **SOL-1000**



CARTRIDGE VALVE SOLENOID
With Manual Override
Fits in black 12V Coil C-800H.
Shown on Page 45.

PART # **SOL-047**



MOTOR MOUNT
PART # **BMW-222**



S1 VALVE
PART # **S1V-020**



SPLINE TO TRIANGLE COUPLER
PART # **TC-2B65**



SPLINE COUPLER
PART # **SC-19**



CORROSION PROTECTION GREASE LUBRICANT
PART # **HM-SEAL**




FLOW CONTROL VALVE
PART # **FC-S600**



**FLOW
CONTROL VALVE**
PART # **FC-15**



**COUNTER
BALANCE VALVE**
PART # **CB-AS10**



**PILOT OPERATED
RELIEF VALVE**
PART # **PRV-025**



**EQUALIZER
CARTRIDGE ONLY**
PART # **EC-124**



NACHI VALVE
PART # **NV-145**
**REPLACEMENT
ELECTRICAL CONNECTOR**
PART # **TD-EC**



**SEALED
VDC COIL**
PART # **SC-D12**



PARKER DO3 VALVE
PART # **PV-KW4**



**COUNTER
BALANCE VALVE**
PART # **CBV-ALHN**



**TRAILER
DIRECTIONAL VALVE**
PART # **TD-869**



**TRUCK
DIRECTIONAL VALVE**
PART # **TD-834**



**PRESSURE
RELIEF VALVE**
PART # **PR-1S20**



CHECK VALVE
PART # **CV-008**



**HIGH PRESSURE
NEEDLE VALVE**
PART # **NV-01FS**



VALVE ASSEMBLY
PART # **DS-1NRE**


SPLINER SCREW TYPE



1.5" ACME LIFT SCREW

PART #	SIZE
ALS-628	1 1/2"-4, 52.19"
ALS-627	1 1/2"-4, 67.81"
ALS-631	1 1/2"-4, 75.98"
ALS-626	1 1/2"-4, 82.31"
ALS-157	1 1/2"-4, 92.00"
ALS-625	1 1/2"-4, 108.13"

FEMALE SPLINER SCREW TYPE



1.25" HORIZONTAL SCREW

PART #	SIZE
ALS-059	1 1/4"-4 x 51.391"
ALS-601	1 1/4"-4, 61.204"
ALS-514	1 1/4"-4, 68.891"
ALS-368	1 1/4"-4, 71.204"

TRIANGLE SCREW TYPE



1.25" ACME LIFT SCREW

PART #	SIZE
ALS-316	1 1/4"-4, 52.19"
ALS-485	1 1/4"-4, 53 15/16"
ALS-740	1 1/4"-4, 67.81"
ALS-492	1 1/4"-4, 69 9/16"
ALS-481	1 1/4"-4, 76.00"
ALS-482	1 1/4"-4, 82.31"
ALS-487	1 1/4"-4, 84 1/16"
ALS-486	1 1/4"-4, 77 3/4"
ALS-483	1 1/4"-4, 92.00"
ALS-484	1 1/4"-4, 92.69"
ALS-488	1 1/4"-4, 93 3/4"
ALS-489	1 1/4"-4, 94 7/16"
ALS-741	1 1/4"-4, 108.13"
ALS-493	1 1/4"-4, 109 7/8"

SPLINER SCREW TYPE



1.5" ENCLOSED LIFT SCREW

PART #	SIZE
ALS-991	1 1/2"-4, 39.56"
ALS-719	1 1/2"-4, 65.06"
ALS-718	1 1/2"-4, 103.38"
ALS-021	1 1/2"-4
<i>*Freightliner Columbia - 106.44"</i>	
ALS-720	1 1/2"-4, 130.63"

*Lift Screws are special order only.
Please note special orders may not be
returned due to their customization.*



HM-C3330009



HM-C3455009



HM-L80SBHPS



HM-L1002ADB

AFTER MARKET REPLACEMENT MOTORS

PART #	STYLE
HM-C3330009	80cc, 3/4-16R Bottom Port 7/8-14SP
HM-C3455009	80cc, 7/8-14 Side Ports

DELAVAN STYLE LOHR MOTORS

PART #	STYLE
HM-L80SBHPS	80cc, LOHR Motor
HM-L1002ADB	100cc, LOHR Motor



ACTUATORS

PART #	LOCATION	DESCRIPTION	MODEL
ACT-54580	Headrack	Front Tilt	5K x 12" Truck
ACT-54581	Headrack	Rear Tilt	5K x 17" Truck
ACT-54582	Position #2	Articulating	5K x 10" Truck
ACT-54585	Position #3	Transfer	5K x 60" ST9100
ACT-54584	Position #5	Articulating	5K x 13.5" ST9100
ACT-54587	Position #9	Steel Slide Out	5K x 37.5" ST9100
ACT-56258	Position #5	Rear	10K x 61" ST9100
ACT-54589	Position #9	Front	5K x 15.5" ST9100
ACT-56262	Position # 3/4	Front	10K x 50-3/16" (Only on EZ Load Trailers)
ACT-56265	Position # 5	Rear	10K x 60-3/8" (Only on EZ Load Trailers)
ACT-56269	Swing Arm	Quick Loader	10K x 48-1/4" (Only on EZ Load Trailers)
ACT-56280	Truck Hauler	Front	10K x 43-1/4"

Actuators are special order only. Please note special orders may not be returned.



5K ACTUATOR SEAL KIT
PART # **ASK-5K**



10K ACTUATOR SEAL KIT
PART # **ASK-10K**



10K HOUSING DOUBLERS

PART #
HD-LH1
HD-RH1

SPEC.
LEFT
RIGHT



CLEVIS MOUNT 5K
Parker Motors - Inline
PART # **CM-793**



CLEVIS MOUNT 5K
Parker Motors - 90°
PART # **CM-792**



**COUNTERBORED BRAKE PAD
& THREADED BRAKE PAD**
PART # SPEC.
AN-265 *Counterbored Brake Pad*
AN-284 *Threaded Brake Pad*



**BRAKE ASSEMBLY
& THREADED BRAKE PAD**
PART # SPEC.
CS-280 *Center Spline*
BA-264 *Brake Assembly*




SCREW MOTOR O-RINGS
Sold in packs of 6
PART # **S-10KAS**



5K BASE GASKET
Sold in pairs
PART # **BG-006**



**ACTUATOR GLAND
NUT/SEAL ADAPTER**
PART # SIZE
GN-0535K 5K
GN-05310K 10K



10K ACTUATOR SLEEVE
PART # **S-79210K**



ACTUATOR PIVOT PINS
PART # LENGTH
ACT-PIV1 4-1/4"
ACT-PIV2 4-7/8"
ACT-PIV3 5-1/16"
ACT-PIV4 6-1/8"



1" ACTUATOR PINS
PART # LENGTH
AP-003 2-7/8"
AP-004 3-1/2"



VALVE BANK - INDIVIDUAL BASE PLATES

PART #	VALVES	PART #	VALVES
V-300	3 VALVE	V-600	6 VALVE
V-400	4 VALVE	V-700	7 VALVE
V-500	5 VALVE	V-800	8 VALVE

SINGLE VALVE SECTION

PART # **SVS-002**



VALVE BANK REPLACEMENT PARTS



LOGIC VALVE MANIFOLD BLOCK

PART # **LM-1105**



LOGIC VALVE TO MANIFOLD BASE PLATE SCREW & SEAL KIT

PART # **UM-KIT**




LOGIC VALVE

PART # **LV-003**



PRESSURE VALVE CARTRIDGE

PART # **RA-1S30**



CHECK VALVE BLOCK

PART # **PM-999**



70 PSI CHECK VALVE

PART # **CV-P70**

VALVE SECTION REPLACEMENT PARTS


VALVE HANDLE ASSEMBLY

PART # **VHA-008**



SINGLE VALVE SECTION SCREW KIT

PART # **SVS-KIT**



O-RING KIT

PART # **ORK-047**



LOWER VALVE SECTION END VENT CAP & ACCESSORY KIT

PART # **EVC-015**

INDEX

9.

The index is in alphabetical order by part. If there is a specific item you cannot find, please contact B/A Products. Also, remember that B/A Products can custom manufacture what you need! (It's as good as done)

Acme Nut	AN-442	41	Boydston Seal Kit, 1.5" Rod x 3" Bore Gland Nut	BS-150300G	28
Acme Nut	AN-340	41	Brake Assembly	BA-264	50
Acme Nut	AN-551	41	Bronze Bushing	BB-024	43
Acme Nut	AN-054	41	Bronze Washer	BW-058	43
Acme Nut	AN-211	41	Brush for Slide-Rite, 2"	BA-BRUSH2	34
Acme Nut	AN-962	41	Brush for Slide-Rite, 3"	BA-BRUSH3	34
Acme Nut	AN-048	41	Castle Nut - for 1.25" Lift Screw	CN-015	43
Acme Nut, Top Screw	AN-331	43	Castle Nut - for 1.5" Lift Screw	CN-007	43
Actuator Gland Nut / Seal Adapter 10K	GN-05310K	50	Center 2 Port Section	CW-51615CS	26
Actuator Gland Nut / Seal Adapter 5K	GN-0535K	50	Center Channel Doubler	CCD-568	37
Actuator Pin, 1" x 2-7/8"	AP-003	50	Center Section Cross Bar Support (20 Hole), Boydston	CBS-020	37
Actuator Pin, 1" x 3-1/2"	AP-004	50	Center Section Cross Bar Support (21 Hole), Boydston	CBS-021	37
Actuator Pivot Pin, 4-1/4"	ACT-PIV1	50	Center Spline	CS-280	50
Actuator Pivot Pin, 4-7/8"	ACT-PIV2	50	Chain Gang Lubricant	BA-LUBE	34
Actuator Pivot Pin, 5-1/16"	ACT-PIV3	50	Chain Idler	BA-805	17
Actuator Pivot Pin, 6-1/8"	ACT-PIV4	50	Chain with Grab, R & T Hooks, 5/16"G7x10'	T5-GRT-10	12
Actuator Seal Kit, 10K	ASK-10K	50	Chain with Grab, R & T Hooks, 5/16"G7x4'	T5-GRT-4	12
Actuator Seal Kit, 5K	ASK-5K	50	Chain with Grab, R & T Hooks, 5/16"G7x6'	T5-GRT-6	12
Actuator Sleeve, 10K	S-79210K	50	Chain with Grab, R & T Hooks, 5/16"G7x8'	T5-GRT-8	12
Actuator; 10K x 43-1/4"	ACT-56280	49	Chain with Hammerhead, Grab & R Hooks, 5/16"G7x6'	T5-HGR-6	12
Actuator; 10K x 48-1/4" only on EZ Load	ACT-56569	49	Chain with Hammerhead, Grab & R Hooks, 5/16"G7x8'	T5-HGR-8	12
Actuator; 10K x 50-3/16" only on EZ Load	ACT-56262	49	Chain with Mini Datsun, Grab & T Hooks, 5/16"G7x4'	T5-DGT-4	12
Actuator; 10K x 60-3/8" only on EZ Load	ACT-56265	49	Chain with Mini Datsun, Grab & T Hooks, 5/16"G7x5'	T5-DGT-5	12
Actuator; 10K x 61" ST9100	ACT-56258	49	Chain with Mini Datsun, Grab & T Hooks, 5/16"G7x6'	T5-DGT-6	12
Actuator; 5K 10"Truck	ACT-54582	49	Chain with Mini Datsun, Grab & T Hooks, 5/16"G7x8'	T5-DGT-8	12
Actuator; 5K 12"Truck	ACT-54580	49	Chain with Mini Datsun, Grab, R & T Hooks, 5/16"G7x10'	T5-DGRT-10	12
Actuator; 5K 13.5" ST9100	ACT-54584	49	Chain with Mini Datsun, Grab, R & T Hooks, 5/16"G7x4'	T5-DGRT-4	12
Actuator; 5K 17"Truck	ACT-54581	49	Chain with Mini Datsun, Grab, R & T Hooks, 5/16"G7x5'	T5-DGRT-5	12
Actuator; 5K 37.5" ST9100	ACT-54587	49	Chain with Mini Datsun, Grab, R & T Hooks, 5/16"G7x6'	T5-DGRT-6	12
Actuator; 5K 60" ST9100	ACT-54585	49	Chain with Mini Datsun, Grab, R & T Hooks, 5/16"G7x7'	T5-DGRT-7	12
Actuator; 5K x 15.5" ST9100	ACT-54589	49	Chain with Mini Datsun, Grab, R & T Hooks, 5/16"G7x8'	T5-DGRT-8	12
Anchor Pin, 19"	BA-AP19	21	Chain with Mini Datsun, Grab, R & T Hooks, 5/16"G7x9'	T5-DGRT-9	12
Anchor Pin, 22"	BA-AP22	21	Chain, R & Grab Hook, 5/16"	T5-9RG	14
Anchor Pin, 26"	BA-AP26	21	Check Valve	CV-008	47
Angled Lock Pin, 5/8" x 4"	BA-LP584	18	Check Valve Block	PM-999	51
Auto Transport Chain, 1/4" G7x10', Grab, R & T Hooks	BA-GRT-10	11	Check Valve, 50 PSI	CV-P50	51
Auto Transport Chain, 1/4"G7x10', Mini Datsun, Grab & T Hooks	BA-DGT-10	11	Circuit Breaker, 12 Amp	CB-12A	45
Auto Transport Chain, 1/4"G7x10', Mini Datsun, Grab, R & T Hooks	BA-DGRT-10	11	Clevis Mount 5K - Parker Motors 90°	CM-792	50
Auto Transport Chain, 1/4"G7x2' Chain with Grab, R & T Hooks	BA-GRT-2	11	Clevis Mount 5K - Parker Motors Inline	CM-793	50
Auto Transport Chain, 1/4"G7x4', Grab, R & T Hooks	BA-GRT-4	11	Conspicuity Tape, Red/White	36-CT150	31
Auto Transport Chain, 1/4"G7x4', Mini Datsun, Grab & T Hooks	BA-DGT-4	11	Conspicuity Tape, White	36-CTW	31
Auto Transport Chain, 1/4"G7x4', Mini Datsun, Grab, R & T Hooks	BA-DGRT-4	11	Counter Balance Valve	CB-AS10	47
Auto Transport Chain, 1/4"G7x5', Grab, R & T Hooks	BA-GRT-5	11	Counter Balance Valve	CBV-ALHN	47
Auto Transport Chain, 1/4"G7x5', Mini Datsun, Grab, R & T Hooks	BA-DGRT-5	11	Counterbored Brake Pad	AN-265	50
Auto Transport Chain, 1/4"G7x5', Mini Fairlane, Grab, R & T Hooks	BA-FGRT-5	11	Coupling Link, G8 1/4"-5/16"	G8-516ACL	14
Auto Transport Chain, 1/4"G7x5',Mini Datsun, Grab & T Hooks	BA-DGT-5	11	Curtis Wright, Section Seal Kit	CW-BCSSA	25
Auto Transport Chain, 1/4"G7x6', Grab, R & T Hooks	BA-GRT-6	11	Curtis Wright, Valve Handle	CW-NSHW	25
Auto Transport Chain, 1/4"G7x6', Mini Datsun, Grab & T Hooks	BA-DGT-6	11	Curtis Wright; Valve Handle Cover - Black	CW-HCB	25
Auto Transport Chain, 1/4"G7x6', Mini Datsun, Grab, R & T Hooks	BA-DGRT-6	11	Curtis Wright; Valve handle Cover - Red	CW-HCR	25
Auto Transport Chain, 1/4"G7x6', Mini Fairlane, Grab, R & T Hooks	BA-FGRT-6	11	Cylinder Pin Clip	BA-RC34	27
Auto Transport Chain, 1/4"G7x6',Hammerhead, Grab & R Hooks	BA-HGR-6	11	Cylinder Pin, 3/4"x2-1/2"	BA-CP3425	27
Auto Transport Chain, 1/4"G7x8', Grab, R & T Hooks	BA-GRT-8	11	Cylinder Pin, 3/4"x3"	BA-CP343	27
Auto Transport Chain, 1/4"G7x8', Hammerhead, Grab & R Hooks	BA-HGR-8	11	Cylinder Pin, 3/4"x4"	BA-CP344	27
Auto Transport Chain, 1/4"G7x8', Mini Datsun, Grab &					

NAME (A-Z)	PART#	PG#	NAME (A-Z)	PART#	PG#
Elbow Fitting, #6	HYD-6JIC	27	Jump Start Pack, LG	41-JNC950	24
Elbow Fitting, #6 Flat Face	HYD-6FF	27	Jump Start Pack, Small	41-JNC660	24
Electric Hydraulic Motor, Boydstun	EM-001	23	Jumper	J-113	45
Electric Motor, 12V Enclosed	EM-AL44001A	23	Jumper Wire, 12"	JW-12	45
Electric Motor, 12V Vented	EM-AL24001A	23	Ladder - with Hooks, 109"x 13" Aluminum	BA-LADDER2	35
End Guide Bushing - For #4 Slide	EGB-060	42	Ladder - with Hooks, 115"x 18"W Aluminum	BA-LADDER3	35
End Guide Bushing - For #7 Slide	EGB-377	42	Ladder - w/out Hooks, 120"L x 16"W Aluminum	BA-LADDER1	35
Equalizer	E-211	24	Ladder Bracket, 16"	BA-LAD-B	35
Equalizer Cartridge Only	EC-124	47	Ladder Bracket, 18"	BA-LAD-B3	35
Equalizer Valve	EV-122	29	Ladder Feet, (Replacement)	BA-LAD-F	35
Finger Hook, Double	BA-10006	7	Ladder Locking Pin	38-13-H	35
Finger Hook, Forged	38-17-H	7	Ladder Strap	BA-LAD-S	35
Flat Bushing	FB-035	43	Large Quick Release Pawl & Tube Set, Boydstun	BOY-208	17
Flipper with Alum. Tubes, 13-3/4" (5 Hole) Steel	BA-FLIPPER5A	37	Lift Screw, 1.25" Acme	ALS-316	48
Flipper, 13-3/4" (5 Hole) Steel	BA-FLIPPER5	37	Lift Screw, 1.25" Acme	ALS-485	48
Flipper, 8-3/4" (3 Hole) Steel	BA-FLIPPER3	37	Lift Screw, 1.25" Acme	ALS-740	48
Flow Control Valve	FC-S600	46	Lift Screw, 1.25" Acme	ALS-492	48
Flow Control Valve	FC-15	47	Lift Screw, 1.25" Acme	ALS-481	48
Foam Indicator	FI-549	41	Lift Screw, 1.25" Acme	ALS-482	48
Follower Nut	FN-462	41	Lift Screw, 1.25" Acme	ALS-487	48
Follower Nut	FN-709	41	Lift Screw, 1.25" Acme	ALS-486	48
Follower Nut 1"	FN-736-1	41	Lift Screw, 1.25" Acme	ALS-483	48
Follower Nut 2"	FN-736-2	41	Lift Screw, 1.25" Acme	ALS-484	48
Follower Nut 3"	FN-736-3	41	Lift Screw, 1.25" Acme	ALS-488	48
Follower Nut with Foam Indicator	FN-446	41	Lift Screw, 1.25" Acme	ALS-489	48
Forged Finger Hook, 2"	38-27	7	Lift Screw, 1.25" Acme	ALS-741	48
Fork with Foot, Round	BOY-202	42	Lift Screw, 1.25" Acme	ALS-493	48
Fork, Round	BOY-205	42	Lift Screw, 1.5" Acme	ALS-628	48
Gear - Left, 1.33" ID	BA-133L	17	Lift Screw, 1.5" Acme	ALS-627	48
Gear - Left, 1.5" ID	BA-150L	17	Lift Screw, 1.5" Acme	ALS-631	48
Gear - Right, 1.33" ID	BA-133R	17	Lift Screw, 1.5" Acme	ALS-626	48
Gear - Right, 1.5" ID	BA-150R	17	Lift Screw, 1.5" Acme	ALS-157	48
Gland Nut 2.5" Bore 1.5" OD	GNC-25	27	Lift Screw, 1.5" Acme	ALS-625	48
Gland Nut 2" Bore 1.25" OD with 16° Pitch	GNC-212516P	27	Lift Screw, 1.5" Enclosed	ALS-991	48
Gland Nut 2" Bore 1.5" OD	GNC-2	27	Lift Screw, 1.5" Enclosed	ALS-719	48
Gland Nut 2" Bore 1.5" OD with 16° Pitch	GNC21516P	27	Lift Screw, 1.5" Enclosed	ALS-718	48
Grab & Hammerhead Hooks on Link	BA-GH	13	Lift Screw, 1.5" Enclosed	ALS-021	48
Grab & Mini J Hooks on Link	BA-GJ	13	Lift Screw, 1.5" Enclosed	ALS-720	48
Grab & R Hooks on Link	BA-GR	13	Lock Hitch Pin, 5/8"x4.5"	BA-HP58N	18
Grab & T Hooks on Link	BA-GT	13	Logic Valve	LV-003	51
Grab Hook on Link	BA-G	13	Logic Valve Manifold Base Plate Screw & Seal Kit	UM-KIT	51
Grab, Mini Datsun & T Hooks on Link	BA-DGT	13	Logic Valve Manifold Block	LM-1105	51
Grab, Mini Datsun, R & T Hooks on Link	BA-DGRT	13	Long Shaft Spanner Nut Tool	SN-TOOL1	38
Grab, R & T Hooks on Link	BA-GRT	13	Lower Valve Section End Vent Cap & Accessory Kit	EVC-015	51
Grease Lubricant, Corrosion Protection	HM-SEAL	46	Master Shut-Off Switch	MDS-902	23
Hair Pin Clip, 3-1/4" (Replacement)	BA-HPC6	21	Measuring Stick	BA-MS4	32
Half Foam Indicator	FI-994	41	Measuring Stick - Metric	BA-METRIC	32
Hammerhead Hook - Combo T/Mini J Hook	11-7H	14	Mini Datsun Hook	11-7MD	14
Heavy Duty Double Finger Hook	BA-10015	7	Mini Datsun/Grab Combination Hook	11-7MDG	14
High Pressure Needle Valve	NV-01FS	47	Mini Fairlane Hook, 5/8" Open	BAP-58MF	14
Horizontal Adapter Plate	AP-039	44	Mini Fairlane Hook, 9/16" Closed	11-7MF	14
Horizontal Bearing Housing - Pos. #4 Slide	BH-018	44	Mini Fairlane Hook, 9/16" Open	BAP-916MF	14
Horizontal Bearing Housing - Pos. 2, for #7 Slide	BH-956	44	Mini J Hook	11-7J	14
Horizontal Bearing Retainer Plate	BRP-040	44	Momentary Switch, 2 Wire	BA-MS2	23
Horizontal Screw Assembly, 1.25"	ALS-059	48	Momentary Switch, 3 Wire	BA-MS3	23
Horizontal Screw Assembly, 1.25"	ALS-601	48	Momentary Switch, 5 Wire	BA-MS5	45
Horizontal Screw Assembly, 1.25"	ALS-514	48	Motor Manifold	MM-493	46
Horizontal Screw Assembly, 1.25"	ALS-368	48	Motor Manifold Screws	MM-493S	46
Hose Splice (1 Wire), 1/2"	HYD-121W	29	Motor Mount	BMW-222	46
Hose Splice (1 Wire), 1/4"	HYD-141W	29	Nachi Valve	NV-145	47
Hose Splice (1 Wire), 3/8"	HYD-381W	29	Nachi Valve Replacment Electrical Connector	TD-EC	47
Hose Splice (2 Wire), 1/4"	HYD-142W	29	Narrow Hose Tension Spring, 3/4" x 13.5"	THS-100	29
Hose Splice (2 Wire), 3/8"	HYD-382W	29	No-Skid - Black	BA-NSB	34
Hose Splice (2 Wire), 1/2"	HYD-122W	29	No-Skid - Gray	BA-NSG	34
Housing Doubler - Left, 10K	HD-LH1	50	No-Skid - White	BA-NSW	34
Housing Doubler - Right, 10K	HD-RH1	50	O-Ring Kit	ORK-047	51
Hydraulic Braided Hose Cutter, 24"	HYD-C1	29	Oil Absorbent Pads, White	BA-PAD2	33
Hydraulic Pressure Reducer, 1/2"	HPR-12	29	Outlet Section with Power Beyond	CW-51713301	25
Hydraulic Pressure Reducer, 3/8"	HPR-38	29	Parker Coil	PC-LWD012	45
Hydraulic Pump	HYD-PUMP1	23	Parker DO3 Valve	PV-KW4	47
Hydraulic Pump	HYD-PUMP2	23	Pawl Only for BOY-208	BOY-208P	17
Hydraulic Tank Cap	HC-015	29	Perpendicular Swivel Hook	BA-10013	7
Hydraulic Tank Sight Gauge	SG-205	29	Pilot Operated Relief Valve	PRV-025	47
Idex Relay Only	RELAY-ID	45	Power Beyond Sleeve Assembly	CW-1102	25
Inlet Section Plain	CW-51501IP	26	Power Combiner	PC-92061	24
Inlet Section with Adjustable Relief Valve	CW-51502IV	26	Pressure Relief Valve	PR-1520	47
Inspection Mirror	M-100	38	Pressure Valve Cartridge	RA-1530	51

NAME (A-Z)	PART#	PG#
Pretzel Stay Lock Pin - Left	BA-PP55L	18
Pretzel Stay Lock Pin - Right	BA-PP55R	18
PTO Pump, 17 Gallon (Muncie)	HYD-PUMP17	23
PTO Pump, 6 Gallon (Muncie)	HYD-PUMP6	23
PTO Pump, 8 Gallon (Muncie)	HYD-PUMP8	23
Quick Release Pawl - Left	BA-QRL	17
Quick Release Pawl - Right	BA-QRR	17
Quick Release Union - Female, 1"	HF-062	29
Quick Release Union - Female, 1/2"	HF-051	29
Quick Release Union - Female, 3/4"	HF-060	29
Quick Release Union - Male, 1"	HF-068	29
Quick Release Union - Male, 1/2"	HF-050	29
Quick Release Union - Male, 3/4"	HF-064	29
R & Grab Hook Chain, 1/4"	BA-9RG	14
R Hook	11-7R	14
R Hook on Link	BA-R-L	13
Ramp Seat, 18" (Weldable)	BA-SEAT18	21
Ramp Stop / Skid Plate	R-RS1	21
Ramp; Boydston Style Open Jump; 18"x99" 4,000#	R-BJ18099-O4	21
Ramp; Boydston Style Roller; Thin 19"x104" 5,000#	R-B19104-R5T	21
Ramp; Delavan Style Roller; 18"x103" 5,000#	R-D18103-R5	21
Ramp; Jump Ramp 15"x77" 4,000#	R-J15077-T4	21
Ramp; Jump Ramp 18"x72" 4,000#	R-J18072-T4	21
Ramp; Jump Ramp 18"x84" 4,000 #	R-J18084-T4	21
Ramp; Open End Ramp 15"X94" 5,000#	R-M15094-O5	21
Ramp; Open End Ramp 18"X 94" 5,000#	R-M18094-O5	21
Ramp; Open End Ramp 18"x72" 4,000#	R-M18072-O4	21
Ramp; Open End Ramp 18"x84" 4,000#	R-M18084-O4	21
Ramp; Open End Ramp 18"x96" 5,000#	R-M18096-O5	21
Ramp; Open End; Thin 15"x94" 5,000#	R-M15094-O5T	21
Ramp; Outlet Section Plain	CW-51705OP	25
Ramp; Roller Ramp 18"x90" 5,000#	R-C18090-R5	21
Ramp; Roller Ramp 18"x99" 5,000#	R-C18099-R5	21
Ratchet Hook	BA-P26	11 / 17
Ratchet Pawl	BA-P248	17
Ratchet Pawl	BA-P384D	17
Ratchet Pawl	BA-P249	17
Ratchet Pawl Pin	BOY-205	17
Ratchet Pawl Pin	BA-216	17
Ratchet with Snap Hook, 2"	38-22D	7
Ratchet with Strap and Double J Hook, 2"	38-20DJ	7
Ratchet with Strap and Forged, 2"	38-20SJ2	7
Ratchet with Swivel J Hook, 2"	38-20SJ1	7
Relay Only for Wago Base	RELAY-W	45
Relay Socket	RELAY-S	45
Relief Valve, Adjustable	CW-RDCS22	26
Roller Bearing	B-ROLLER1	43
Roller Bearing Sleeve	B-SLEEVE	43
Roller for No-Skid	BA-ROLLER	34
Roller Ramp Replacement Roller	R-R1	21
Roof Limit Switch	RLS-512	45
Roof Switch	RS-307	45
Rubber Wheel Chock with Eye Bolt	5-RWC1	31
S Hook, 5/8" Long Open	BAP-585	13
S Hook, 9/16" Long Open	BAP-916S	13
S1 Valve	S1V-020	46
Safety Cone	26-TCR28	31
Safety Flag with Bungie Cord, 18" x 18" Orange	BA-FLAG1	31
Safety Flag with Bungie Cord, 18" x 18" Red	BA-FLAGR1	31
Safety Flag with Grommets, 18" x 18" Orange	BA-FLAG	31
Safety Flag with Grommets, 18" x 18" Red	BA-FLAGR	31
Safety Snap Lock Pin, 5/16" Small	BA-DWS516275	18
Safety Triangle Kit	26-3	31
Screw Motor - 100cc, Side Port, 2 Bolt Spline, Boydston	HM-710045131	46
Screw Motor - 80cc, Manifold, Nitro Spline, Boydston	HM-710045128N	46
Screw Motor - 80cc, Manifold, Spline, Boydston	HM-710045128	46
Screw Motor - 80cc, Manifold, Triangle, Boydston	HM-710056708	46
Screw Motor - 80cc, Side Port, Nitro Spline, Boydston	HM-710045127N	46
Screw Motor - 80cc, Side Port, Nitro Triangle, Boydston	HM-710055329	46
Screw Motor - 80cc, Side Port, Spline, Boydston	HM-710045127	46
Screw Motor O-Rings	S-10KAS	50
Screw Voltage Conditioner, Boydston	VC-SP	24
Sealed VDC Coil	SEC-D12	47
Shank End 2.5" Bore 90°	SEC-2590	27
Shank End 2.5" Bore Inline	SEC-25IN	27
Shank End 2" Bore 90°	SEC-290	27
Shank End 2" Bore Inline	SEC-2IN	27

NAME (A-Z)	PART#	PG#
Slide Guide Channel - 1/4" Post Wall Tube	SGC-767	42
Slide Guide Channel - 1/8" Post Wall Tube	SGC-765	42
Slide Guide Channel - 3/16" Post Wall Tube	SGC-684	42
Slide Guide Channel - Position #2, 3 & 7 Slide	SGC-979	42
Slide Rite Graphite Lube - Aerosol	BA-SRA	34
Slide Rite Graphite Lube - Gallons	BA-SRG	34
Slide Rite Graphite Lube - Quarts	BA-SRQ	34
Small Safety Snap Lock Pin, 1/4"	BA-DWS14275	18
Small Safety Snap Lock Pin, 3/8"	BA-DWS38275	18
Snap Hook with Spacers	38-12-H	7
Snap Lock Pin with Washer, 1/2"	BA-12SLPW	18
Snap Lock Pin with Washer, 3/4"	BA-34SLPW	18
Snap Lock Pin with Washer, 5/8"	BA-58SLPW	18
Snap Lock Pin, 5/8"	BA-58SLP	18
Solenoid with Manual Override, Cartridge Valve	SOL-047	46
Solenoid, Cartridge Valve	SOL-1000	46
Spacer for Boydston Screw	SP-364	43
Spanner Nut - Bearing Lock Nut	SN-047	43
Spanner Nut - Thin Lock Nut	SN-059	43
Spanner Nut Tool	SN-TOOL2	38
Spanner Nut Tool	SN-TOOL3	38
Spill Kit Replacement Pads	BA-SPILL-P	33
Spill Kit Replacment Socks	BA-SPILL-S	33
Spill Kit, Standard	BA-SPILL2	33
Spill Kit; Deluxe Universal	BA-SPILL	33
Spline Coupler	SC-19	46
Spline to Triangle Coupler	TC-2B65	46
Spool Assembly Grease	CW-GPAK	26
Spool Seal Kit	CW-QRW	25
Spool Shaft Kit	CW-51615SPL	25
Spring Assembly	CW-SPRINGKIT	25
Spring Lock - Long	BA-SL-L	18
Spring Lock - Short	BA-SL	18
Spring Lock Replacement Heavy Duty Ring	BA-SL103	18
Spring Lock Replacement Pin with Ring - Long	BA-SL101L	18
Spring Lock Replacement Pin with Ring - Short	BA-SL101S	18
Spring Lock Replacement Spring - Long	BA-SL102L	18
Spring Lock Replacement Spring - Short	BA-SL102S	18
Spring Lock Replacement Washer	BA-SL104	18
Spring Lock Replacment Drive Pin	BA-SL105	18
Square Fork	BOY-204	42
Square Fork with Foot	BOY-203	42
Standard Seal Kit, 1.5" Rod x 2.5" Bore	CT-150250	28
Standard Seal Kit, 1.5" Rod x 2.5" Gland Nut	CT-150250G	28
Standard Seal Kit, 1.5" Rod x 2" Bore	CT-150200	28
Standard Seal Kit, 1.5" Rod x 2" Gland Nut	CT-150200G	28
Steps, Folding	19-STEP1	31
Storage Box 23.5"Wx36"Lx5"D	BA-SBOX10	9
Storage Box 24"Wx45"Lx5"D	BA-SBOX8	9
Storage Box 36"Wx17"Hx24"D	BA-SBOX9	9
Storage Box 38"Wx17"Hx24"D	BA-SBOX7	9
Strap Box 77"Wx5"Hx24"D	BA-SBOX1	9
Strap Box 77"Wx5"Hx24"D	BA-SBOX4	9
Strap with 3 Hook Cluster, 2"	38-100-S	8
Strap with 3 Hook Cluster, 2"	38-100-S10	8
Strap with 3 Hook Cluster, 2"	38-100-S12	8
Strap with D Ring, 2"	38-1	8
Strap with D Ring, 2"	38-1-9	8
Strap with D Ring, 2"	38-1-10	8
Strap with D Ring, 2"	38-1-12	8
Strap with R Hook, 2"	BA-7R4	8
Super Sorbent 16 lb. Bags	BA-SS16	33
Super Sorbent Quarts	BA-SS2C	33
Swivel J Hook 1.5" Bracket, Forged	BA-10011	7
Swivel J Hook 2.25" Bracket, Forged	BA-10012	7
T Hook	11-7A	14
T/Grab Combination Hook	11-7D	13
Tapered Roller Bearing Cone	RB-114	43
Tapered Roller Bearing Cup	RB-113	43
Tarp Strap, 10"	38-TS10	32
Tarp Strap, 15"	38-TS15	32
Tarp Strap, 21"	38-TS21	32
Tarp Strap, 31"	38-TS31	32
Telescopic Complete Gland Nut Seal Kit	BS-150237T	28
Telescopic Complete Gland Nut Seal Kit	BS-150237TG	28
Telescopic Complete Kit	CT-150275T	28
Telescopic Complete Kit	DV-150237T	28

NAME (A-Z)**PART#****PG#****WARRANTY INFORMATION**

Telescopic Gland Kit	CT-150275TG	28
Telescopic Gland Nut Kit	DV-150237TG	28
Threaded Brake Pad	AN-284	50
Thrust Bearing	B-THRUST	43
Trailer Directional Valve	TD-869	47
Truck Directional Valve	TD-834	47
Tube End Ramp 18"x72" 4,000#	R-M18072-T4	21
Tube End Ramp 18"x84" 4,000#	R-M18084-T4	21
Tube End Ramp 18"x96" 5,000#	R-M18096-T5	21
Tube End Ramp Thin 15"x94" 4,000#	R-M15094-T4T	21
Tube Only for BOY-208	BOY-208T	17
Tureck Relay Only	RELAY-T	45
Two Grab Hooks on Link	BA-GG	13
UHMW Pad	PAD-278	42
Upper Bearing Mount Plate, 2-1/2" x 5-1/2"	UMP-523	44
Upper Bearing Mount Plate, 2-3/4" x 5-11/16"	UMP-641	44
Upper Bearing Mount Plate, 2-5/8" x 5-5/8"	UMP-768	44
Upper Bearing Mount Plate, 3" x 6"	UMP-713	44
Upper Bearing Plate Seal	S-048	43
Valve Assembly	DS-1NRE	47
Valve Bank Base Plate - 3 Valve	V-300	51
Valve Bank Base Plate - 4 Valve	V-400	51
Valve Bank Base Plate - 5 Valve	V-500	51
Valve Bank Base Plate - 6 Valve	V-600	51
Valve Bank Base Plate - 7 Valve	V-700	51
Valve Bank Base Plate - 8 Valve	V-800	51
Valve Handle Assembly	VHA-008	51
Valve Section Screw Kit, Single	SVS-KIT	51
Valve Section, Single	SVS-002	51
Vehicle Securement; E-Track Ratchet Tie Down Assembly	BA-ES101	6
Vehicle Securement; E-Track Ratchet Tie Down Assembly	BA-ES100	6
Vehicle Securement; HD Grade Replacement Straps	HD-3053-144	3
Vehicle Securement; HD OEM Grade Replacement Straps	HD-3053-120	3
Vehicle Securement; HD OEM Grade Replacement Straps	HD-3053-168	3
Vehicle Securement; HD OEM Grade Replacement Straps	HD-1732-120	3
Vehicle Securement; HD OEM Grade Replacement Straps	HD-1732-144	3
Vehicle Securement; HD OEM Grade Replacement Straps	HD-1732-168	3
Vehicle Securement; OEM Double J Hook Strap, Boydstun	R-BOYDSTUN	5
Vehicle Securement; OEM Double J Hook Strap, Boydstun	R-BOYDSTUN12	5
Vehicle Securement; OEM Double J Hook Strap, Boydstun	R-BOYDSTUN22	5
Vehicle Securement; OEM Double J Hook Strap, Boydstun	R-BOYDSTUN24	5
Vehicle Securement; OEM Grade Replacement Straps	BA-3053-120	3
Vehicle Securement; OEM Grade Replacement Straps	BA-3053-144	3
Vehicle Securement; OEM Grade Replacement Straps	BA-3053-168	3
Vehicle Securement; OEM Grade Replacement Straps	BA-1732-120	3
Vehicle Securement; OEM Grade Replacement Straps	BA-1732-144	3
Vehicle Securement; OEM Grade Replacement Straps	BA-1732-168	3
Vehicle Securement; Ratchet Tie Down Strap Assembly	BA-R100	4
Vehicle Securement; Ratchet Tie Down Strap Assembly	BA-SJR100	4
Vehicle Securement; Ratchet Tie Down Strap Assembly	BA-PSR103	4
Vehicle Securement; Tie Down Strap Assembly	BA-SJ106	5
Vertical Rail Cam Follower Roller Bearing	CF-050	43
Vertical Screw Slider Box	BOY-206	42
Vest; Class II Safety, 2X-L	46-10C	31
Vest; Class II Safety, 3X-L	46-10D	31
Vest; Class II Safety, 4X-L	46-10E	31
Vest; Class II Safety, 5X-L	46-10F	31
Vest; Class II Safety, L	46-10A	31
Vest; Class II Safety, X-L	46-10B	31
Vest; Class III Safety, 2X-L	46-1C	31
Vest; Class III Safety, L	46-1A	31
Vest; Class III Safety, 3X-L	46-1D	31
Vest; Class III Safety, 4X-L	46-1E	31
Vest; Class III Safety, X-L	46-1B	31
Volt Solenoid, 12/24	SOL-12V	23
Wago Relay	RELAY-WB	45
Winch Bar, 24"	BA-WB24	32
Winch Bar, 28"	BA-WB28	32
Winch Bar, 34"	BA-WB34	32
Winch Bar, 38.5"	BA-WB385	32
Window Wedge, 5.5" Plastic	12-W5	38

B/A Products Co. warrants that its products shall be free from defects in quality for a period of ninety (90) days from date of shipment. B/A Products Co. sole liability and customer remedy is limited to the replacement of any products determined by B/A Products Co. to be defective in quality; providing that claims for any defects are made within the warranty period.

The warranty provisions contained in this statement are expressly in lieu of all other warranties; express, statutory or implied in fact or by law. There are no implied warranties of merchantability or fitness for a particular purpose made in connection with the sale of products. The warranty provisions shall not apply to defects resulting from improper or unspecified uses or applications.

Sole liability for breach of warranty shall be limited to the replacement of the products as provided above and the customer waives all other remedies. B/A Products Co. shall not be liable for loss of profits, loss of use, damages or injury to persons, or any other consequential damages of any kind, nor shall B/A Products Co. be liable for any costs of replacement incurred by customer in the absence of specific written authorization from B/A Products Co. to make such a replacement.

We reserve the right to change product design, material, specifications, packing, finish, policies, conditions, etc. without incurring obligation. All orders are subject to current prices at time of shipment.

© B/A Products Co. 2014

8925 McGaw Court
Columbia, MD

T: 800.327.3301

F: 410.381.6358

WWW.BAPROD.COM

B/A Products Distributed by:

